



Legend


Important notes

The authors and Erbe Elektromedizin GmbH have taken the greatest possible care while compiling the catalogue with electrosurgical accessories. Nevertheless, it is impossible to exclude the possibility that errors may be contained herein.

The information and recommendations given here may not be construed as constituting any basis for any claims against Erbe Elektromedizin GmbH. Should legal regulations stipulate liability, such liability shall be limited to intentional misconduct or gross negligence.

The data on the use of instruments is based on clinical experience. Medical science is subject to a process of permanent change based on research and clinical experience. Therefore the products are subject to alterations in design and technique. Because of production tolerances dimensions in the catalogue may marginally differ.

Further product information



Please read carefully the corresponding notes on use before using any instrument.

02 erbe-med.com

Contents


Electrosurgery

Monopolar electrosurgical pencils

\sim	,						
U	4	Flectros	urnical	single-use	nencils	(a 2 4	. mm)


- 07 Premium electrosurgical pencils (ø 2.4 mm)
- 08 Premium electrosurgical pencils (ø 4 mm)
- 10 ECO-LINE electrosurgical pencils (ø 2.4 mm)
- 11 Electrosurgical pencils for smoke evacuation

erbe-med.com






Electrosurgical single-use pencils (ø 2.4 mm)



Monopolar adapters for electrosurgical pencils with connecting plug International	Connection	Piece	No.
Monopolar Adapter, VIO, ICC, ACC, Standard (MO 9/5 mm), for connecting plug international (3 Pin)	Standard (MO 9/5 mm)	1	20183-028

erbe-med.com






06 erbe-med.com



Premium electrosurgical pencils (ø 4 mm)



erbe-med.com



Premium electrosurgical pencils (ø 4 mm)



Monopolar connecting cables	Connection	Length	Piece	No.
Monopolar connecting cable, VIO, ICC, ACC, Standard,	Standard (MO 9/5 mm)	4 m	1	20192-127
for electrosurgical pencil 20190-045	Standard (MO 9/5 mm)	5 m	1	20192-094
Monopolar connecting cable, Martin Standard, 4 m, for electrosurgical pencil 20190-045	Martin Standard	4 m	1	20192-099
3				
Monopolar connecting cable, VIO, ICC, ACC, International, 4 m, for electrosurgical pencil 20190-045	International	4 m	1	20192-110
and the same of th				






ECO-LINE electrosurgical pencils (ø 2.4 mm)




Monopolar adapters for electrosurgical pencils with connecting plug International	Connection	Piece	No.
Monopolar Adapter, VIO, ICC, ACC, Standard (MO 9/5 mm), for connecting plug international (3 Pin)	Standard (M0 9/5 mm)	1	20183-028

erbe-med.com



10 erbe-med.com

Electrosurgical pencils for smoke evacuation





Extension tip for Clip-on handle 20321-044		
To be used in combination with 20321-044	No. 20321-045	
	= 25	
		2
	i D146678	STERILE EO

erbe-med.com

Important information

The information, recommendations and other details contained in this medium ("information") reflect our state of knowledge and the state of the art in science and technology at the time the medium was created. The information is of a general nature, non-binding and intended solely for general information purposes; it does not constitute instructions for use.

The information and recommendations contained in this medium do not create any legal obligations on the part of Erbe Elektromedizin GmbH and its affiliated companies ("Erbe") or any other claims against Erbe. The information does not constitute any guarantees or other information on the nature of the product; such information requires an express contractual agreement with Erbe in each individual case.

Erbe is not liable for any kind of damage resulting from following the information on this medium, regardless of any legal grounds for liability.

Every user of an Erbe product is responsible for testing the respective Erbe product in advance with regard to its properties and its suitability for the intended type of use or purpose. Suitable type of use of the respective Erbe product can be found in the instructions for use for the respective Erbe product. The user is obliged to ascertain whether the instructions for use available to him/her correspond to the current status of the specific Erbe product. Devices may only be used in accordance with the instructions for use.

Information on settings, application sites, application duration and use of the respective Erbe product is based on the clinical experience of individual centers, physicians and clinical literature independent of Erbe as well as post market surveillance and empirical evidence. They constitute reference values, or Experienced Starting Settings, which must be checked by the user to ensure that they are suitable for the specifically planned application. Depending on the circumstances of a specific application, it may be necessary to deviate from the information provided. The user is responsible for checking this when using Erbe products. We wish to note that science and technology are subject to constant development as a result of research and clinical experience. Similarly, medicine and clinical application are constantly evolving as a result of research and technological development. This may also make it necessary for the user to deviate from the information provided on this medium.

This medium contains information about Erbe products that may not be approved/cleared in certain countries. The user of the respective Erbe product is obliged to inform himself/herself as to whether the Erbe product he/she is using is leaally approved/cleared in his/her country and/or to what extent, if any, there are legal requirements for or restrictions on its use.

This medium is not intended for use in the USA

Erbe Elektromedizin GmbH Waldhoernlestrasse 17 72072 Tuebingen Germany

Phone +49 7071 755-0 info@erbe-med.com erbe-med.com medical-videos.com





